Refine Search

Search Results -

Terms	Documents
L14 and L1	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

L18	·		Refine Search
	Recall Text 🗢	Clear	Interrupt

Search History

DATE: Monday, April 04, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB = U	SPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
<u>L18</u>	L14 and l1	1	<u>L18</u>
<u>L17</u>	L14 and l16	0	<u>L17</u>
<u>L16</u>	L14 and cpc	0	<u>L16</u>
<u>L15</u>	L14 and rank\$	1	<u>L15</u>
<u>L14</u>	6421675.pn.	1	<u>L14</u>
DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=Y	'ES;	
OP=OR			
<u>L13</u>	L12 and epe	1	<u>L13</u>
<u>L12</u>	davis.in. and "pay-for-placement"	7	<u>L12</u>
<u>L11</u>	L10 or 18	19	<u>L11</u>
<u>L10</u>	L9 and 17	12	<u>L10</u>
<u>L9</u>	L1 and @pd<=20010926	91	<u>L9</u>
<u>L8</u>	L7 and 12	19	<u>L8</u>

<u>L7</u>	L3 or 15	6118	<u>L7</u>
<u>L6</u>	L5 and 12	19	<u>L6</u>
<u>L5</u>	705/26-27.ccls.	4430	<u>L5</u>
<u>L4</u>	L3 and 12	0	<u>L4</u>
<u>L3</u>	705/20,22,28-29.ccls.	1912	<u>L3</u>
<u>L2</u>	L1 and @ad<=20010926	155	<u>L2</u>
<u>L1</u>	(cpc\$ or ("cost per click" or "cost-per-click")) and (rank\$ or place\$ or position\$) and adverti\$	270	<u>L1</u>

END OF SEARCH HISTORY

¥ . .

First Hit Fwd Refs End of Result Set

Previous Doc Next Doc Go to Doc#

☐ Generate Collection

Print

L18: Entry 1 of 1

File: USPT

Jul 16, 2002

DOCUMENT-IDENTIFIER: US 6421675 B1

TITLE: Search engine

Brief Summary Text (7):

These results are in the form of a list, <u>ranked</u> according to criteria specific to the search engine. These criteria may range from the number of occurrences of the key-words anywhere within the searched text, to methods giving a weighting to key-words used in particular positions (as previously mentioned). When multiple key-words have been used, sites are also <u>ranked</u> according to the number of different key-words applicable. A fundamental drawback of all these <u>ranking</u> systems is their objectivity—they are determined according to the programmed criteria of the search engine, and the emphasis <u>placed</u> on particular types of site design, rather than any measure of the actual users' opinions. Indeed this can lead to the absurd situation whereby in an attempt to ensure a favorable rating by the most commonly used search engines, some designers deliberately configure their sites in the light of the previously mentioned criteria, to the detriment of the presentation, readability and content of the site.

Detailed Description Text (7):

In order for keyword suggestion to take <u>place</u>, which the user may or may not select, there is preferably an initial step 28 in which the type of keyword search olgorithm to use is selected. Although many systems may have only one such algorithm, various ones, as described hereinafter, are possible. Once the keyword search olgorithm is selected, step 30 follows in which, based upon a keyword entered by a user, the current set of keyword data is operated upon to determine associated keywords. The results of this operation are then displayed to the user in 30. This capability, and how it is implemented, will be described in more detail hereinafter.

Detailed Description Text (8):

The previously mentioned web page and keyword selection capabilities inured to the direct benefit of the end user. Another novel feature of the present invention, which indirectly inures to the benefit of the end user, directly benefits the advertiser, because it allows for content to be targeted in real time based upon various criteria. As will be described more fully hereinafter, a content providing olgorithm is initially selected which will determine how content is selected in step 34. Step 36 follows, and based upon inputs from users and content providers, which content to show is determined. Thereafter, the advertisements are displayed for the user to see, simultaneously with the display of either keywords and/or web pages

Detailed Description Text (19):

Hit-list: The list of web-pages URL addresses) that is the result of the key-word search. This hit-list ranks the relevance of the web-pages relative to the key-word. This bit-list always has a key-word associated with it.

Detailed Description Text (51):

When the general profile type setting is used (ranked based on X1), the Basketball

site would be <u>ranked</u> at the top. When the New Zealand setting is chosen (<u>ranked</u> based on X:2) the rugby site would be highest. This would be a reflection of the preferences of the New Zealanders. This is a very simple method of storing the preference of different groups of people. One would expect New Zealand-based rugby web-sites to rate higher than an overseas site on the New Zealand list, but there is no reason that this has to be the case. Someone in Spain may have the best Rugby site in the world. The system evaluates web-pages only on the perceived quality of information by the users—the physical location of the site is immaterial.

Detailed Description Text (85):

The selection of a content provider's banner after a keyword search counts as a hit for their web-page (increment the value of X). This will enable their web pages to possibly go up the popularity list associated with the keyword This acts as a mechanism to enable a web-page developer to pay to be seen with a keyword. They can not pay to go up the popularity list--this will only occur if people visit their site and spend time there and record a valid hit for the popular list. The values of a content hit can vary (e.g. if could be 1 or 0.5 or 7) depending on the emphasis one wants to place how much that content affects the popularity ranking.

Detailed Description Text (89):

The data collected for Table 9 is used to recalculate the values of X in Table 3 after a predetermined time period. The frequency of updating Table 3 will influence the value of the History factor (HF) chosen. The reason for multiplying the existing X by a "history facto" is so that the perceived popularity does not last indefinitely. The history factor reduces the weighting attached to the past popularity. To illustrate by way of an example, the key-word "sports news" may have an existing popularity with the following ranking (based on the number of hits per web-page, X)

Detailed Description Text (115):

The numbers (X, Y and Z) in Table 3, which correspond to keyword URL link table 172 in FIG. 5 contain all the information required to give the following types of searches 58: Popular-list search <u>ranked</u> hit-list of the most popular URLs for that keyword based on the number X Hot off the press search <u>ranked</u> hit-list of newest URLs for the keyword based on the date/time (Z) High-flyers search <u>ranked</u> hit-list of best emerging URLs based the difference between X and Y Random search hit-list that is a random sample of URLs that have any of the numbers X, Y or Z Date created search this is hit-list based on the date time Z and the user-specified date of interest (not just the newest)

Detailed Description Text (116):

The personal link table 174 also allows past preferences to be listed as search results Previous favorites search is a <u>ranked</u> hit-list base on the previous popularity for the individual (X from Table 6). This search is based only on the previous searching of the individual user. This allows the users to very quickly find site that they have previously visited.

Detailed Description Text (118):

These search results can be combined in a number of different ways Collective search <u>ranked</u> hit-list that is a collection of any of the search hit-lists described above (this is the default set of search results) Customized search <u>ranked</u> hit-list that can be a user defined combination of any of the above lists.

Detailed Description Text (128):

The high-flyer list is calculated by comparing the old popular $\underline{\text{rankinq}}$ (Y) and the new popular $\underline{\text{rankinq}}$ (X) from Table 3. From this the percentage increase in hits is calculated. An alternative method would be to $\underline{\text{rank}}$ the rate of change of popularity by the number of places they rose compared to last time.

Detailed Description Text (137):

Record Display Form Page 3 of 6

This is a list of content, such as <u>advertisements</u>, associated wit the key-word, which the user cannot control. The ones that have paid the most will be at the top of the list, as described further hereinafter, in accordance with the preferred embodiment of the invention. Of course, other systems for identifying the order of paying content providers can also me implemented.

Detailed Description Text (142):

Another embodiment of the personal preference search includes specifying the date the web page was list visited, with or without using a keyword. The web pages are then <u>ranked</u> based on Z in personal links table 174 of FIG. 5. For example if a user looked at a site in the middle of last year the user can refine the search by date, thus making it easier to find a previously useful web-pages more easily, even if they could not remember the relevant keyword

Detailed Description Text (155):

Different popular hit-lists may be employed to provide results which would reflect different cultural, geographical, professional, gender or age interests. Thus, as shown in FIG. 14, when a user enters a keyword and User ID in step 490, the default profile of the user can be used to reflect the type of web pages that people of the same "group" as the user profiles desire to see. Thus, the search that takes place in step 494 is based on the subscripted X, Y and Z values obtained from the default profile of people of those "group" affiliations identified in the user's personal profile obtained in step 492. Thus, the rather than an overall global search result, search results are obtained particularized for the group that the user identifies with. The resulting list of web pages, derived from steps 496 and 498, as have been previously described, are particularized for that group.

Detailed Description Text (157):

The relevance of such sites will evolve automatically, without any active evaluation of the sites by the search engine operator or the user. There are no complex olgorithm required to analyze the relevance of web-sites for particular types of users. Instead, the type of site deemed relevant will be decided by those users selecting those characteristics for their profile type, i.e. American females interested in rock-climbing. Sites of greater relevance will naturally attract more hits, increasing their ranking and thus increasing the chance of a subsequent user also investigating the site. In the above example, any web sites listed for the keyword 'accomodation' which were unrelated to optometry, sight, lens, vision, etc., would not be accessed for the period of time required to make a valid it. It would therefore receive a very low ranking and hence be even less likely to be accessed by Her users.

Detailed Description Text (185):

As shown in FIG. 20, a keyword link table 696 and a cumulative keyword trace table 698 are used along with the previously described security table 168 to create the data sets for suggested keywords. The key-word link table 696, shown in Table 10 below, records how often each key-word is selected from the suggested key-word list This can then be used to $\underline{\text{rank}}$ the of the usefulness of different key-words relative to each other.

Detailed Description Text (197):

One manner is by <u>ranking</u> the values of X in the keyword link table 696 (Table 10). This <u>ranked</u> list of keywords is combined with keywords from a normal search of keywords, described previously with respect to step 646 of FIG. 19.

<u>Detailed Description Text</u> (203):

When searching on the Internet, various different web pages listings and web pages are displayed as has been described. One common chacterisics of each these different web page listings that have been described is that when they are displayed they appear substantially identical to one another. As shown in FIG. 25, each of the different listings 900, though the text may be different, is otherwise

visually identical. Other listings 902, however, are many times larger than the listings 900, may include graphical content, and appear more prominent when displayed to the user. Such listings can contain the same content as a web page listing, or other content, such as <u>advertisements</u>, pictures, editorials and the like.

Detailed Description Text (215):

Content provider data table 812 of FIG. 23 is illustrated in more detail below as Table 14 and contains information about the content provider, such as name, address, advertiser, content information such as the Bitnap (HTML or Java applet or similar) that the content 902 will use and a unique number to identify each different item of content 902.

Detailed Description Text (217):

Populating the Personal Profile Content Data H is the cumulative number of hits for each profile type and this information is taken directly from Table 1 (sum of the indexed W's). N is the number of items of content 902 sent out associated with the personal profile. This is incremented each time an item of content 902 is sent out that is specifically associated with that profile type 810 The values for A 808 are placed, through an entry process akin to bidding, for each profile type. The content provider can also eater a maximum M they are prepared to pay, or vote, as the case may be. T is the total for each profile type, and is the sum of As. P is the content value for each profile and is T/N

Detailed Description Text (232):

The new content provider then enters the selection factor A and the system can then instantly calculate the new value (P) based on the new total bids (T). The advertiser can also be told the number of views per month they are likely to get for their bid $(N^*(A/T))$. These changes are calculated in real-time to give the new content provider an indication of how their bid will influence the value and the views they will receive for their bid. If a value and number of views are agreeable to the advertiser they can choose to submit it as a bid for the defined period, such as a day, week, or month, for instance. The details of other content providers are, preferably, not made public. Content providers may also enter a maximum value M they can pant with for their content. This provides content providers with some security against paying too much if the value changes. If the value goes too high then a content provider's bid can drop off the list (if P is greater than M then A is not counted as a bid for that particular content provider). The bid would go back on the list if the value went down again, thus acting as a stabilizing mechanism. The content provider can, in a preferred embodiment, be notified by email if their content 902 has dropped off the list due to their value limit M .

Detailed Description Text (233):

As shown by the content provider details table 812 of FIG. 24, for instance, content providers thus have an account with the search engine proprietors and procedures for debiting their account for their content is automatically calculated from the account details on a periodic basis. An electronic statement of the number of views, cost per view, number of click-throughs and cost per click-through for each content provider is also forwarded to each content provider, since this information is also stored in content provider details table 812 (Table 14). In a preferred embodiment, it is possible to identify clusters of similar keywords based on the keyword link table. The reason for identifying clusters of keywords is so that content 902 can be targeted at groups of words rather than just individual words. The cluster for the key-word "car" may include hundreds or thousands of words that have links to the word car (e.g. convertibles, automobiles, vans). Statistical clustering techniques are used to define the size and frequency of keyword clusters. This makes it a much more automatic process the an editor deciding on clusters of keywords for content provider's to target.

Detailed Description Text (237):

Controlling the search engine system There are a number of parameters that can change the way in which the search engine according to the present invention ranks web pages. These factors (described in detail below) are: History factor

Detailed Description Text (269):

The profile type information from the search engine could be used as a passport so that other <u>advertisements</u> on the Internet could be more targeted to different audiences. This profile type information could also be used by web-page developers to customize their web-page for different sets of users.

Detailed Description Paragraph Table (1):

Input data set Output data set Key-word (temporary) Hit-list - Ranked hit-list of Database to match the key-word with Web-pages (temporary) (permanent) Permanent data set: Retained long tern (although it changes over time) Temporary data set: Created only for the duration of the search Surfer trace: This is a measure of bow users search. It is a trace of the key words they search for, the URLs subsequently selected and how long they spend there, from which a ranking of web-pages for a users (surfers) can be calculated. It is a measure of which web-pages they found most useful after the key-word search. The combination of all surfer traces is used to create a users' choice hit-list.

Detailed Description Paragraph Table (2):

Input data set Output data set Key-word (temporary) Surfer trace - A list of user User selections from initial search web-pages users found useful for results (temporary), i.e. Web pages each key-word (can be permanent or visited (URLs) temporary) Times spent a each URL IP address of user Users' choice hit-list: This a semi-permanent ranking of web-pages associated with every key-word and indicates how useful Internet users found each of the web-pages associated with the key--word The users' choice hit-list is incrementally updated by a new surfer trace.

Detailed Description Paragraph Table (3):

Input data set Output data set Surfer trace (can be permanent or New Users' choice hit-list - Ranked temporary) hit-list of "popular" Web-pages Users' choice hit-list (permanent)* (permanent) The initial users' choice hit-list will be the surfer trace. New web-page list: This is a list of new web-pages that is created by URL submissions from web-page developers. When a web developer updates a web-page, they can submit the web-page address, brief information about the page and a list of key-words that the developer decides are relevant. The web-page is then placed on the top of each of the key-word new web-page lists.

Detailed Description Paragraph Table (6):

Input data set Output data set Old Users' choice hit-list - High-flyers hit-list: A ranked list of (temporary) web-pages that are rising in popularity New Users' choice hit-list - the fastest (permanent) Personal hit-list: This a list of web-pages the individual user has found most useful for each key-word search they have done in the past It is like an automatic book-marking data set for each individual user.

Detailed Description Paragraph Table (7):

Input data set Output data set Key-word Personal hit-list: A <u>ranked</u> list of Individual surfer trace - (permanent) web-pages that an individual has found useful in the past Collective Search hit-lists. This can be a combination of any of the above hit-lists. There are many different ways a these hit-lists can be combined.

Detailed Description Paragraph Table (8):

Input data set Output data set Crawler hit-list (temporary) Collective Search hit-lists - (Default) Users' choice hit-list (permanent) Ranked hit-list of Web-pages Advertisers' list (permanent) displayed to the user after the key- New web-page list (permanent) word search. It can be a combination High-flyers list (permanent) of any of the hit-lists above Personal hit-list (permanent) (temporary) Crawler

key-word list: This is a list of key-word suggestions mat the user may find useful. This is found by matching the key-word entered by the user to the database of key-words and phrases that other users have tied. This is the equivalent of the crawler hit-list, though it is a ranking of key-words rather than Web-page The method for doing this uses a similar olgorithm to a spell-checker only it does it for phrases. It also suggest Key-words, based on previous URL selections from sequences of user key-words.

Detailed Description Paragraph Table (9):

Input data set Output data set Key-word (temporary) Ranked hit-list of other key-words the Database of all key-words used user may want to try (temporary) (permanent) Surfer keyword list: This is a data set comprised a list of key-words that the individual user found useful after the key-word was selected. This is found by tracking which key-words the user decided to use. This is equivalent to the surfer trace.

Detailed Description Paragraph Table (10):

Input data set Output data set Key-word (temporary) Ranked list of other key-words Data about what key words were used (associated with the key-word) that from the key-word suggester this individual user found useful (semi-permanent) key-word suggester: This is a data set consisting of a permanent ranking of other key-words that users have found useful, compiled from successive surfer key-word lists and is linked to each key-word (this is equivalent of the users' choice hit-list).

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

☐ Generate Collection

Print

L20: Entry 1 of 1

File: USPT

Jul 16, 2002

DOCUMENT-IDENTIFIER: US 6421675 B1

TITLE: Search engine

Detailed Description Text (34):

Another method of tracking where a user may connect to from an initial URL selection (if they do not return to the search result page) is to run the selected web-pages as part of a `frame` located at the search engine web-site. This permits a complete record of the web pages visited to be recorded after a keyword is entered. However, this imposes an additional level of complexity to the system with a possible decrease in system response time.

Detailed Description Text (84):

Due to &he variations in web-site capabilities in terms of log-on times, down loading times, bandwidth, and response times, the predetermined time used to denote a valid 'hit' may be suitably altered. Specialist web crawlers may be employed to independently validate such data.

Detailed Description Text (264):

There is currently a substantial global requirement for online help and support particularly for computer/software applications. Such a need would be considerably assuaged by use of the present invention as the software developers obtain a direct feedback to the type and frequency of particular inquiries, whilst the uses receive the accumulated benefit of the previous users. Different profile type s would enable the answers to be provided in an appropriate form for the user, e.g. novice, expert, etc. The keyword suggester may, for example, suggest searching with keywords (questions) more likely to yield a satisfactory response. There can be a range of answers to each question and as the system learns it will converge on to the best answers.

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

Generate Collection

Print

L12: Entry 5 of 7

File: USPT

Jul 31, 2001

US-PAT-NO: 6269361

DOCUMENT-IDENTIFIER: US 6269361 B1

** See image for Certificate of Correction **

TITLE: System and method for influencing a position on a search result list generated by a computer network search engine

DATE-ISSUED: July 31, 2001

INVENTOR-INFORMATION: *

NAME	CITY	STATE ZIP CODE COUNTRY	₹Y
Davis; Darren J.	Rowland Heights	CA	
Derer; Matthew	Sierra Madre	CA	
Garcia; Johann	Chino Hills	CA	
Greco; Larry	Glendale	CA	
Kurt; Tod E.	Pasadena	CA .	
Kwong; Thomas	Temple City	CA	
Lee; Jonathan C.	Culver City	CA	
Lee; Ka Luk	San Gabriel	CA	
Pfarner; Preston	Pasadena	CA	
Skovran; Steve	Pasadena	CA	

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
GoTo.com	Pasadena	CA			02

APPL-NO: 09/ 322677 DATE FILED: May 28, 1999

INT-CL: $[07] \underline{G06} \underline{F} \underline{17/30}$

US-CL-ISSUED: 707/3; 707/2, 707/4, 707/5 US-CL-CURRENT: <u>707/3</u>; <u>707/2</u>, <u>707/4</u>, <u>707/5</u>

FIELD-OF-SEARCH: 707/2-5, 707/10, 707/501, 706/12, 709/219, 709/202, 705/1, 705/14, 705/10, 705/37, 705/26-29

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
5659732	August 1997	Kirsch	395/605
<u>5704560</u>	January 1998	Del Monte	
<u>5717923</u>	February 1998	Dedrick	396/613
5724424	March 1998	Gifford	380/24
5724521	March 1998	Dedrick	
5724524	March 1998	Hunt et al.	395/237
<u>5748954</u>	May 1998	Mauldin	395/610
5752238	May 1998	Dedrick	705/14
5768521	June 1998	Dedrick	399/522.6
5794210	August 1998	Goldhaber et al.	
<u>5826241</u>	October 1998	Stein et al.	705/26
5848397	December 1998	Marsh et al.	
<u>5848407</u>	December 1998	Ishikawa et al.	707/2
5852820	December 1998	Burrows	
5855008	December 1998	Goldhaber et al.	
<u>5864845</u>	January 1999	Voorhees et al.	
<u>5864846</u>	January 1999	Voorhees et al.	
5903882	May 1999	Asay et al.	705/44
5918014	June 1999	Robinson	
5920854	July 1999	Kirsch et al.	
<u>5920859</u>	July 1999	Li	
6078866	June 2000	Buck et al.	702/2

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
11316764A	November 1999	JP ·	
WO 9948028 .	September 1999	WO	
WO 9920486	September 1999	WO	
WO 200016218	March 2000	WO	
WO 0041090	July 2000	WO	

OTHER PUBLICATIONS

Rich, "New search engine allows sites to pay their way to top", MediaWeek, vol. 8, issue 8, p. 28, Feb. 1998.*

Database of Corporate ResourceNet, "New service puts ad auction, search engine under one roof", Electronic Advertising & Marketplace Report, vol. 12, issue 8, p. 6, Apr. 1998.*

Espe, "Online search engines start to charge for listings", Washington Business Journal, vol. 18, issue 1, p. 31, May 1999.*

Dawson et al., "2 search sites narrow their parameters", Adweek-Western edition,

```
vol. 48 issue 42, p. 5, Oct. 1998.*
Database of Corporate ResourceNet, "Bits", from Adweek-Eastern edition, vol. 40,
issue 14, p. 46, Apr. 1999.*
Komando, "Searching for search engines -- from Dogpile to Deja News", Business First-
Columbus, vol. 14, issue 43, p. 46, Jun. 1998.*
Database of Corporate ResourceNet, "New services aim to boost efficiency of search
engines", Electronic Advertising & Marketplace Report, vol. 12 issue 13, p. 6, Jul.
1998.*
Database of Corporate ResourceNet "Goto.com choose Quest's SharePlex(R) for Oracle
software to ensure uptime for business-critical Web site", PR Newswire, Jun. 2000.*
Database of Corporate ResourceNet, "Capitalist tool", Time Canada, vol. 151 issue
8, p. 41, Mar. 1998.*
Database of DialogClassic(tm), "Homestead Technologies' Continued Success Draws
$17.5 Million In Second Round of Venture Funding", PR Newswire, Apr. 1999.*
"APS Search Tools-Patent search client strategy" by US Patent & Trademark Office,
Sep. 1997.
"Frequently Asked Questions NT Image Search & Rerieval (IS&R)" by US Patent &
Trademark Office, Dec. 1997.
"Chapter 1-Introduction to Dialog" by Dialog Information Service, Inc., pp. 1-1 to
1 - 14.
"Automated Patent System (APS) Workstation Reference Manual" by US Patent &
Trademark Office, Jul. 1996.
Frentzen, "Help for getting the word out about Web sites (Site promotion toos)",
from PC Week, v14, n46, p. 27(1). Nov. 1997.*
Miller, "Improve your ranking (building Web sites to attract Web searches)", from
Home Office Computing, v16, n1, p. 51(2), Jan. 1998.*
Lash, "Open text updates tools", from CNET News.com
(http://www.news.com/News/ltem/0,4,6118,00.html) Dec. 1996.*
Anguillar, "New ad model charges by the click", from
http://www.news.com/News/ltem/0,4,1199,00.html Apr. 1996.*
Wingfield, "Another engine takes ads by the click", from
http://www.news.com/News/ltem/0,4,1387,00.html, May 1996.*
Pelline, "New search engine goes commercial", by CNET News.com, Feb. 1998.*
Wang, "Engines battle irrelevance of results -- New search service hope to fill the
void", by Internet World, Feb. 1998.*
Vonder Haar, "Searching for the highest bidder" from Inter@ctive week, Feb. 1998.*
Riedman, "Search engine startup to auction listings" from Interactive -- advertising,
Feb. 1998.
Rich, "New search engine allows sites to pay this way to top", from
http://www.adweek.com/iq/iqnews02.asp, Feb. 1998.
Mardesich, "Web site operators pay for top billing--search engine allows site
sponsors to buy place on special list", from Knight Ridder Newspapers, Mar. 1998.
Hilty, "GoTo.Hell--What happens when an online search engine accepts cash from Web
sites?" from http://www.ocweekly.com/ink/archives/97/27byte-3.11.98-1.html Mar.
1998.
Flynn, "With Goto.com's Search Engine, the highest bidder shall be ranked first",
by the New York Times, Mar. 1998.
Clark, "Start-up plans Internet search service tying results to advertising
spending" from the Wall Street Journal, Feb. 1998.
"Going, Going . . . "from A closer look of the Wall Street Journal--Marketplace,
Apr. 1998.
"coursey.com" David Coursey's insider report on Personal Computing, the Internet,
and Communications, Mar. 1998.
Glaser, "Who will Goto.com", from OnlinePress.com, Feb. 1998.*
Mardesic, "Search engine charges hit sites", from
http://www.sjmercury.com/bussiness/center/goto022198.htm Feb. 1998.*
"News about search engines", from http://searchenginewatch.com/ness.html, Feb.
Wang, "Engines battle irrelevance of results", from Internet World, Feb. 1998.*
```

```
Swartz, "Browser only lists paying Web sites. Critics fear approach will squeeze
out most small Internet players" from http://www.sfgate.com/cgi-bin/publish on San
Francisco Chronicle, Feb. 1998.*
McWilliams, "Search engine to sell top positions on results lists",
http://www.pcworld.com/news/daily/data/0298/ . . . html, Feb. 1998.*
"Search engine startup to aution listings" from
http://www.adage.com/interactive/daily/index.html, Feb. 1998.*
Alyson, "Searching the search engines" from Bacon's, May 1998.*
Pelline, "Pay-for-placement gets another shot", from
http://www.news.com/News/item/0,4,19307,00.html, Sep. 1997.*
IBM Technical Disclosure Bulletin, Organizing a ranked list of search matches, Nov.
1994.*
Jeffrey Brewer, ClikZ Today, Aug. 18, 1998, "Pay-For-Performance: Creating More And
Better Value", obtained at the internet address http://www.clickz.com, Aug. 18,
Jesse Berst, ZDNet, Aug. 17, 1998, "Search Sites' Shocking Secret", obtained at the
internet address http://www.zdnet.com/anchordesk/story/story.sub.--- 2432.html,
Aug. 17, 1998.
Sara Fisher, "Budding Internet Firm Finds Niche in Satisfaction", L.A. Business
Journal, Aug. 10, 1998.
"Disclosure Rules", The Industry Standard--The Newsmagazine of the Internet
Economy, Aug. 10, 1998.
Advertising Age-Interactive Daily Homepage; obtained at the internet address
http://www.adage.com/interactive/daily/index.html, Jun. 8, 1998.
Kim Komando, "With About 320 Million Sites, Search Engines Offer Some Help",
copyright 1998, Los Angeles Times Syndication.
Margot Williams, "How To Ease Your Online Searches", Lansing State Journal, Jun. 1,
1998.
"Go To.com Gets Venture Funding", Internet World Magazine, Jun. 1, 1998.
Sasha Alyson, "Searching The Search Engines", Front Page, May 8, 1998.
Advertising Age-Interactive Daily Homepage, Feb. 23, 1998, "Search Engine Startup
To Auction Listings", obtained at the internet address
http://www.adage.com/interactive/mdaily/index.html.
Brian McWilliams, PC World Online, Feb. 23, 1998, "Search Engine To Sell Top
Positions On Results Lists", obtained at the internet address
http://www.pcworld.com/news/daily/data/0298/9880223173204.html.
Jon Swatz, San Francisco Chronicle, Feb. 23, 1998, "Browser Only Lists Paying Web
Sites Critics Fear Approach Will Squeeze Out Most Small Internet Players", obtained
at the internet address http://www.sfgate.com/cgi-bin/arti . . .
le/archive/1998/02/21/BU102470.DTL.
Nelson Wang, "Engines Battle Irrelevance of Results". obtained at the internet
address http://www.internetworld.com/print/current/news/19980223-battle.html, Feb.
23, 1998.
Search Engine Watch, Feb. 21, 1998, "GoTo Sells Positions", obtained at the
internet address http://www.searchenginewatch.com/news.html, Feb. 23, 1998.
Jodi Mardesich, Mercury News Staff Writer, Feb. 20, 1998, "Search Engine Charges
Hit Sites", obtained at the internet address
http://www.sjmercury.com/business/center/goto022198.htm, Feb. 23, 1998.
Ken Glaser, OnlinePress.com, "Who Will GoTo.com?", Feb. 20, 1998.
Jeff Pelline, Staff Writer, CNET News.com, Feb. 19, 1998, "Pay-For-Placement Gets
Another Shot", obtained at the internet address
http://www.news.com/News/item/0,4,19307,00.html, Feb. 20, 1998.
The Wall Street Journal, "Going, Going . . . ", Apr. 2, 1998, p. Bl.
David Coursey, "Coursey.com", Mar. 18, 1998.
Don Clark, "Start-Up Plans Internet Search Service Tying Results To Advertising
Spending", The Wall Street Journal, Feb. 20, 1998.
Laurie J. Flynn, "With GoTo.com's Search Engine, The Highest Bidder Shall Be Ranked
First", The New York Times, Mar. 16, 1998, p. Cl.
Wyn Hilty, OCWeekly byte marks, "GoTo.Hell", obtained at the internet address
http://www.ocweekly.com/ink/archives/97/27byte-3.11.98-1.shtml., Mar. 13, 1998.
```

```
Jodi Mardesich, "Web Site Operators Pay For Top Billing", The News--Herald
(Willoughby, OH), Mar. 2, 1998.
Laura Rich, Adweek Online IQ News Online, Feb. 23, 1998, "New Search Engine Allows
Sites to Pay Their Way to Top", obtained at the internet address
http://www.adweek.com/iq/iqnews02.asp, Feb. 23, 1998.
Patricia Riedman, "Search Engine Startup To Auction Listings", Advertising Age
Magazine, Feb. 23, 1998, p. 34.
Steven Vonder Haar, ZDNet, com, Feb. 19, 1998, "Searching For The Highest Bidder",
obtained at the internet address http://www.zdnet.com/intweek/daily/980219i.html,
Feb. 23, 1998.
Nelson Wang, "Engines Battle Irrelevance of Results", Internet World, Feb. 10,
1998, p. 1.
Interactive Week Magazine, Garden City, NY, May 25, 1998.
Jeff Pelline, Staff Writer, CNET News.com, Feb. 18, 1998, "New Search Engine Goes
Commercial", obtained at the internet address
http://www.news.com/News/Item/0,4,19281,00.html, Feb. 20, 1998.
Nick Wingfield, Staff Writer, CNET News.com, Jun. 21, 1996, "Engine Sells Results,
Draws Fire", obtained at the internet address
http://www.news.com/News/Item/Textonly/0,25,1635,00. htmL, Jul. , 29, 1999.
Nick Wingfield, Staff Writer, CNET News.com, May 22, 1996, "Another Engine Takes
Ads By The Click", obtained at the internet address
http://www.news.com/News/Item/0,4,1387,00.html, Jul. 29, 1999.
Rose Aquilar, Staff Writer, CNET News.com, Apr. 29, 1996, "New Ad Model Charges By
The Click", obtained at the internet address
http://www.news.com/News/Item/0,4,1199,00.html, Jul. 29, 1999.
Alex Lash, Staff Writer, CNET News.com, Dec. 11, 1996, "Open Text Updates Tools",
obtained at the internet address http://www.news.com/News/Item/0,4,6118,00.html,
Jul. 29, 1999.
"About SearchUP, Inc.", Jul. 15, 1999, obtained at the internet address
http://www.searchup.com/about.cfm.
"Testimonials"., Jul. 15, 1999, obtained at the internet address
http://www.searchup.com/testimonials.cfm.
"Benefits", Jul. 15, 1999, obtained at the internet address
http://www.searchup.com/benefits.cfm.
"Information", Jul. 15, 1999, obtained at the internet address
http://www.searchup.com/information.cfm.
"Tips & Tricks", Jul. 15, 1999, obtained at the internet address
http://www.searchup.com/tipsandtricks.cfm.
Correspondence from Bryan Buck, President of SearchUp.com, Jul. 7, 1999.
Saul Hansell "Alta Vista Invites Advertisers to Pay for Top Ranking", The New York
Times, Apr. 15, 1999, p. C2.
Galore--Super Search Engine, May 21, 1999, obtained at the internet address
http://www.galore.com/1/mainframe.shtml.
hitsgalore.com Search Engine, May 21, 1999, obtained at the internet address
http://www.hitsgalore.com.
I Seek It "The Next Generation Search Engine", May 21, 1999, obtained at the
internet address http://www.iseekit.com.
Correspondence from Emilia F. Cannella to Robert Brahms, CEO of BeFirst Internet
Corporation regarding findwhat.com, Jul. 20, 1999.
Correspondence from Emilia F. Cannella to Michael Melcher, MC Services regarding
SearchUP.com, Jul. 1, 1999.
Correspondence from Emilia F. Cannella to Robert G. Schuler, Esq., Kegler, Brown,
Hill & Ritter regarding iseekit.com, Jul. 1, 1999.
Correspondence from Emilia F. Cannella to Andrew Conru, Vote Publishing regarding
galore.com, Jun. 30, 1999.
SearchUp.com--Internet Directory, Automated Bid Placement System, obtained at the
internet address http://www.searchup.com/search.cfm, Aug. 25, 1999.
SearchUp: URL Position Manager, obtained at the internet address
https://www.securearea.net/searchup/login.cfm, Aug. 25, 1999.
SearchUp: URL Position Manager, obtained at the internet address
```

https://www.securearea.net/searchup/newaccount.cfm, Aug. 25, 1999. SearchUp: URL Position Manager, obtained at the internet address http://www.securearea.net/getaccount/login.cfm, Aug. 25, 1999. Correspondence from Emilia F. Cannella to Mr. D. Reed, Reports Galore, regarding hitsgalore.com, Jun. 30, 1999. "Improve Your Ranking", Karen L. Miller, Home Office Computer, v16, n1, p. 51(2) Jan. 1998. "Help for Getting the Word Out About Web Sites", Jeff Frentzen, PC Week, v14, n46, p. 27(1), Nov. 3, 1997. Article, Mar. 3, 1998 from "The Search Engine Report," http://www.searchenginewatch.com/sereport/9803-to-to-html, GoTo Sells Positions. Article, Jun. 21, 1996, from CNET News, http://www.nees.com/News? Item/0,4,1635,00.html, "Engine Sells Results, draws fire." Press release on Lightweight Directory Access Protocol (LDAP), Netscape Comm. Corp., Mountain View, CA Apr. 1996. ClickMail Central Directory, circa Apr., 1996, at www.oneclick.com/server/. GoTo.com, circa 1998, at www.goto.com. Northern Light, circa 1997-98, at sirocco.northernlight.com. Smith, Laura B.--Article--"Going . . . gone." PC Week, v13, n34, p. E1 (2), Aug. 26, 1996--<http://www.dialogclassic.com/DialogClassic/dialog>.

ART-UNIT: 215

PRIMARY-EXAMINER: Millin; Vincent

ASSISTANT-EXAMINER: Nguyen; Cuong H.

ATTY-AGENT-FIRM: Brinks Hofer Gilson & Lione

ABSTRACT:

A system and method for enabling information providers using a computer network such as the Internet to influence a position for a search listing within a search result list generated by an Internet search engine. The system and method of the present invention provides a database having accounts for the network information providers. Each account contains contact and billing information for a network information provider. In addition, each account contains at least one search listing having at least three components: a description, a search term comprising one or more keywords, and a bid amount. The network information provider may add, delete, or modify a search listing after logging into his or her account via an authentication process. The network information provider influences a position for a search listing in the provider's account by first selecting a search term relevant to the content of the web site or other information source to be listed. The network information provider enters the search term and the description into a search listing. The network information provider influences the position for a search listing through a continuous online competitive bidding process. The bidding process occurs when the network information provider enters a new bid amount, which is preferably a money amount, for a search listing. The system and method of the present invention then compares this bid amount with all other bid amounts for the same search term, and generates a rank value for all search listings having that search term. The rank value generated by the bidding process determines where the network information providers listing will appear on the search results list page that is generated in response to a query of the search term by a searcher located at a client computer on the computer network. A higher bid by a network information provider will result in a higher rank value and a more advantageous placement.

67 Claims, 9 Drawing figures

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs Previous Doc Next Doc Go to Doc#

Generate Collection Print

L22: Entry 1 of 2

File: USPT

Jul 13, 2004

US-PAT-NO: 6763334

DOCUMENT-IDENTIFIER: US 6763334 B1

TITLE: System and method of arranging delivery of <u>advertisements</u> over a network

such as the internet

DATE-ISSUED: July 13, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Matsumoto: Takuya Toyonaka JP
Kidera: Shiro Ebina JP
Ishii: Ryuichi Yokohama JP

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

Action Click Co., Ltd. Tokyo JP 03

APPL-NO: 09/ 457591 [PALM]
DATE FILED: December 9, 1999

INT-CL: [07] <u>G06</u> <u>F</u> <u>17/60</u>

US-CL-ISSUED: 705/14; 705/26, 705/27, 709/217 US-CL-CURRENT: 705/14; 705/26, 705/27, 709/217

FIELD-OF-SEARCH: 705/26, 705/27, 705/14, 463/41, 709/217

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME .	US-CL
<u>5724521</u>	March 1998	Dedrick	705/26
5791991	August 1998	Small	463/41
<u>5809242</u>	September 1998	Shaw et al.	709/217
5937390	August 1999	Hyodo	705/14
5991740	November 1999	Messer	

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO

PUBN-DATE

COUNTRY

US-CL

10-254829 11-154159 September 1998

JP JP

WO 98/34189

June 1999 August 1998

WO

ART-UNIT: 3622

PRIMARY-EXAMINER: Young; John L.

ATTY-AGENT-FIRM: Rader, Fishman & Grauer PLLC

ABSTRACT:

A method and system of arranging <u>advertisements</u> on a network for a potential media owner or affiliate to sell ad space on a network media to an <u>advertiser</u>. The <u>advertiser's</u> conditions and the affiliate's acceptance are made on the network through an agent's server. The server provides an invitation page for entry of the <u>advertiser's</u> conditions. The conditions are disclosed to the affiliate on the network. When the affiliate accepts the conditions on the network, the agent's server <u>responds</u> to make an <u>advertisement</u> contract, and allocates an <u>advertiser's</u> web site to the ad space of the network media. The number of the <u>responses</u> made to the <u>advertisement</u> is counted at the agent's server, which delivers statistical data of the counted <u>responses</u> on the network to the <u>advertiser</u> and the affiliate for determination of the payment and for evaluation of the effectiveness of the advertisement.

26 Claims, 9 Drawing figures

Previous Doc Next Doc

Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

☐ Generate Collection Print

L22: Entry 2 of 2

File: USPT

Aug 22, 2000

US-PAT-NO: 6108639

DOCUMENT-IDENTIFIER: US 6108639 A

TITLE: Conditional purchase offer (CPO) management system for collectibles

DATE-ISSUED: August 22, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Walker; Jay S.

Ridgefield

CT

Van Luchene; Andrew S.

Norwalk

CT

ASSIGNEE-INFORMATION:

NAME

CITY

STATE ZIP CODE COUNTRY

TYPE CODE

priceline.com Incorporated

Stamford CT

02

APPL-NO: 08/964967 [PALM]
DATE FILED: November 5, 1997

PARENT-CASE:

CROSS-REFERENCE TO RELATED APPLICATIONS This application is a continuation-in-part of U.S. patent application Ser. No. 08/889,319, filed Jul. 8, 1997, which is a continuation-in-part of U.S. patent application Ser. No. 08/707,660, filed Sep. 4, 1996, now U.S. Pat. No. 5,794,207, each incorporated by reference herein.

INT-CL: [07] <u>G06</u> <u>F</u> <u>17/60</u>

US-CL-ISSUED: 705/26; 705/27, 705/37 US-CL-CURRENT: 705/26; 705/27, 705/37

FIELD-OF-SEARCH: 705/1, 705/26, 705/27, 705/35, 705/37, 705/38, 705/39, 235/375, 235/379, 235/380, 235/381, 379/90.01, 340/825.26, 340/825.27, 340/825.28, 340/825.29, 402/22, 402/24

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected		Clear

PAT-NO ISSUE-DATE

PATENTEE-NAME

US-CL

3573747

April 1971

Adams et al.

705/37

<u>4247759</u>

January 1981

Yuris et al.

235/381

4449186	May 1984	Kelly et al.	705/5
4553222	November 1985	Kurland et al.	705/15
4677552	June 1987	Sibley, Jr.	705/37
4751728	June 1988	Treat	379/113
4789928	December 1988	Fujisaki	705/37
4799156	January 1989	Shavit et al.	705/26
4903201	February 1990	Wagner	705/37
4931932	June 1990	Dalnekoff et al.	705/5
5021953	June 1991	Webber et al.	705/6
<u>5136501</u>	August 1992	Silverman et al.	705/37
5168446	December 1992	Wiseman	705/37
5191523	March 1993	Whitesage	705/6
5191613	March 1993	Graziano et al.	380/25
5224034	June 1993	Katz et al.	705/7
5243515	September 1993	Lee	705/37
5253165	October 1993	Leiseca et al.	705/5
5262941	November 1993	Saladin et al.	705/38
<u>5283731</u>	February 1994	Lalonde et al.	705/1
5297031	March 1994	Gutterman et al.	705/37
5329589	July 1994	Fraser et al.	379/91.02
<u>5361199</u>	November 1994	Shoquist et al.	705/26
5404291	April 1995	Kerr et al.	705/5
5420914	May 1995	Blumhardt	379/114
5426281	June 1995	Abecassis	235/379
5444630	August 1995	Dlugos	705/402
<u>5467269</u>	November 1995	Flaten	705/14
<u>5500793</u>	March 1996	Deming, Jr. et al.	705/37
<u>5517555</u>	May 1996	Amadon et al.	455/408
<u>5519769</u>	May 1996	Weinberger et al.	379/112
<u>5553131</u>	September 1996	Minervino, Jr. et al.	379/221
<u>5557517</u>	September 1996	Daughterty, III	705/37
5557518	September 1996	Rosen	380/24
<u>5570283</u>	October 1996	Shoolery et al.	705/5
5592375	January 1997	Salmon et al.	705/7
5606602	February 1997	Johnson et al.	379/115
<u>5611052</u>	March 1997	Dykstra et al.	705/38
5615269	March 1997	Micali	380/49
5664115	September 1997	Fraser	705/37

<u>5689652</u>	November 1997	Lupien et al.	705/37
<u>5694551</u>	December 1997	Doyle et al.	705/26
<u>5696965</u>	December 1997	Dedrick	707/10
5717989	February 1998	Tozzoli et al.	705/37
5732400	March 1998	Mandler et al.	705/26
<u>5745882</u>	April 1998	Bixler et al.	705/26
<u>5757917</u>	May 1998	Rose et al.	380/25
5758328	May 1998	Giovannoli	705/26
<u>5794207</u>	August 1998	Walker et al.	705/1
5794219	August 1998	Brown	705/37
<u>5797127</u>	August 1998	Walker et al.	705/5
<u>5799285</u>	August 1998	Klingman	705/26
5826244	October 1998	Huberman	705/37
5832452	November 1998	Schneider et al.	705/5
<u>5835896</u>	November 1998	Fisher et al.	705/37
<u>5845265</u>	December 1998	Woolston	705/37

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
96/34356	October 1996	WO	
WO 96/34356	October 1996	MO	
97/46961	December 1997	WO	

OTHER PUBLICATIONS

Koepper, Ken, "Room Inventory Auctioning: The Next CRS Generation", Lodging, Jan. 1990 at p. 26, 29-30. Fiskin, Ken, Foresight Exchange Tutorial: (http://www.ideosphere.com/fx/docs/tutorial.html) Feb. 19, 1999 at p. 1-5. "Bid.com 1998 Third-Quarter Revenue Increases 12.5 Percent From Second Quarter", Business Wire, Oct. 29, 1998. Final Report: Virtual Hospital (http://www.telemed.medadmin.uiowa.edu/TRCDocs/Pubs/FinalReport/cVirtualH/ virtualH/virtual h02.html), download date: Sep. 20, 1998. "First Source Become a Member", More Reasons to Join First Source? (http://www.fsource.com/bene.html), download date: Sep. 20, 1998. Jeffrey Davis, "Big Storm rising", Business 2.0, Sep., 1998 at p. 60. Suite 101.com (http://www.suite101.com/doc.cfm.presskit/questions), 1998. Web Marketing Today (http://www.wilsonweb.com.com/rfwilson/wmt2/issue36htm) dated Sep. 1, 1997, download date: Sep. 17, 1998. "Free Stuff Internet Site Delivers for Viewers and Advertisers Alike", Press Release of PromoNet Interactive, Inc. dated Nov. 10, 1997. Hapgood, Fred bidder Harvest, Sep. 1997, p. 58. HomeShark: Refinance Check, selected pages downloaded from www.homeshark.com on Aug. 13, 1997.

The Loan Process, downloaded from www.sdtech.com/mls/process on Aug. 7, 1997. Internet Mortgage Service Eliminates Loan Agents and Passes Commissions on to the Consumer, Company Press Release, Yahoo Business Wire (Jun. 30, 1997). Frequently Asked Questions About: Airhitch, selected pages downloaded from www.isicom.com.fr/airhitch on May 6, 1997. Hitch a Flight to Europe, selected pages downloaded from www.travelassist.com on May 6, 1997. Airhitch: Your Way to Low Cost Travel, selected pages downloaded from www.vaportrails.com on May 6, 1997. Bryant, Adam, "Shaking Up Air Fares+ Status Quo", The New York Times, Mar. 31, 1997. Silverman, Robert, "GM Drives Wed Ad Insertion Network", Inside Media, Feb. 26, 1997, vol. 9, No. 4, p. 1; ISSN:1046-5316. "Flycast Introduces Unique `Open Exchange` Match-Making Service", Interactive Marketing News, Feb. 21, 1997, vol. 4, No. 8. "UK's World Telecom Unveils New WorldSaver Tariffs," Newsbytes, Information Access Company (Feb. 13, 1997). "TransQuest and Web Ventures Deliver Internet Booking for Delta Air Lines", PR Newswire, Dec. 10, 1996, Financial News Section. "Affinicast Enables Web Sites That Listen and Adapt to Customer Affinities", PR Newswire, Dec. 3, 1996. "Web Ventures Presents BookIt!" press release printed from http://www/webventures.com/bookit/(Web Ventures World Wide Web site) on Dec. 2, 1996. "World's First Real-Time Travel Auction Service to Be Available Via World Wide Web: ETA to Open Bidding to Consumers," Business Wire, DIALOG Trade & Industry Database (Nov. 4, 1996). Gessel, Chris, "Trade Smarter: The Limit of Orders", Investor's Business Daily, Oct. 14, 1996, p. A1. CREST: Cruise/Ferry Revenue Management System, selected pages downloaded from www.rtscorp.com on Aug. 5, 1996. Nishimoto, Lisa, "Travel Services Are First Online Commerce Offerings to Fly," Infoworld, Jul. 29, 1996, downloaded from http://www.infoworld.com. About Rate Hunter, dowloaded from http://207.49.64.77/rhprodrh.htm on Jul. 14, 1996. Cathay Pacific Online Ticket Bidding, World Internet News Digest (May 8, 1996). Nimmer, Raymond, T., "Electronic Contracting; Legal Issues", 14 J. Marshall J.Computer & Info L.211, Winter, 1996. American Law Institute, Draft-Uniform Commercial Code Revised Article 2 (Sales), parts 2, 3, and 7, pp. 1-15, Jan. 4, 1996. Speidel, Richard E. & Schott, Lee A., "Impact of Electronic Contracting on Contract Formation Under Revised UCC Article 2, Sales", C878 ALI-ABA 335, Dec. 9, 1993. Hainer, Cathy and Grossman, Cathy Lynn, "Where Vacationing Kids Get Good Care", USA Today, Apr. 1, 1992, at p. 4D. "Newsletters", The Atlanta Constitution, Mar. 1, 1992, p. K13. "CRTL's Blue Ribbon Deals for 1992", Consumer Reports Travel Letter, Jan. 1992, vol. 8, No. 1, at pp. 3-5. Traveler's Notes; Bookit Report, Consumer Reports Travel Letter, Dec. 1991 at p. Feldman, Joan M., "To Rein In Those CRSs; Computer Reservation Systems", Air Transport World, Dec. 1991, at p. 89. "Money Briefs; Buy Low, Fly High", Gannet News Service, Nov. 20, 1991. "Buy Low, Fly High", USA Today, Nov. 14, 1991 at p. 15. Traveler's Notes; Easier Airfare Bidding, Consumer Reports Travel Letter, Oct. 1991 Nelson, Janet "Practical Traveler; Airlines Relaxing on No-Refund Tickets", The New York Times, Sep. 22, 1991 at p. 3 of Section 5.

Pelline, Jeff, "New Service; Now You Can Make a Bid on Your Next Airline Ticket

"Bookit Airfare Bidding System (Fax for Your Plane Ticket?)", Consumer Reports

Home", The Orange County Register, Sep. 1, 1991 at p. E01.

```
Travel Letter, Sep. 1991, pp. 97 & 106.
```

Upton, Kim "French Say Monoliths Off-limits to Visitors", Los Angeles Times, Aug. 25, 1991.

Carey, Christopher, "Firm Offers Auction for Airline Tickets", St. Louis Post-Dispatch, Aug. 7, 1991 at p. 1B.

NASDAQ Adds Enhancements to SOES Limit Order File, Securities Week, Nov. 26, 1990, p. 5.

Ritter, Jeffrey B., "Scope of the Uniform Commercial Code: Computer Contracting Cases and Electrical Commercial Practices", 45 Bus. Law 2533, Aug., 1990.

Greenburg, Peter, S., "Judging DeRegulation", The Record, Jul. 22, 1990 at p. T01. Greenburg, Peter, S., "The Savvy Traveler: Lower Air Fares for Consumers Not in the

Greenburg, Peter, S., "The Savvy Traveler: Lower Air Fares for Consumers Not in th Cards; Airlines: Remember When It Cost \$16 to fly From Los Angeles to San

Francisco? Then You Remember the Days Before DeRegulation. Since Then, Prices Have Soared", Los Angeles Times, Jul. 8, 1990 at p. L2.

Wallace, David, "Company Planning to Let Fliers Bid on Airfares", Philadelphia Business Journal, Mar. 26, 1990 at p. 15.

"Letter to Business Extra", The San Francisco Chronicle, Dec. 26, 1989 at p. C7. Schrage, Michael Innovation/Micheal Schrage: Laboratory Experiments with Market Economics, Los Angeles Times, Nov. 23, 1989 at p. D1.

Del Rosso, Laura, Firm Proposes ticket-bidding system; Marketel explores electronic auction of travel; Marketel International., Travel Weekly, Section No. 91, vol. 91, vol. 48, p. 1; Nov. 13, 1989.

Carlsen, Clifford, "Polaris Group Set to Fly the Leveraged Sky", San Francisco Business Times, Nov. 6, 1989 at p. 1.

Carlsen, Clifford, "From Airline Tickets to Human Organs, the Electronic Markets Are Booming", San Francisco Business Times, Aug. 14, 1989 at p. 17.

"Public May Submit Bids To Get Bargain Rates", Wall Street Journal, Section 2; p. 1, col. 1; Aug. 1, 1989.

American Airlines Internet Silent Auction, selected pages downloaded from www.americanair.com.

Apollo Host Computer, selected pages downloaded from www.appollo.com.

"Auctioning unsold airline tickets." (http://www.newciv.org/GIB/BOV/BV-409.HTMI), at p. 1.

Cathay Pacific:CyberTraveler Auction #3--Official Rules, selected pages downloaded from www.cathaypacific.com.

Sabre Decision Technologies, selected pages downloaded from www.sabre.com. PhoneMiser: Frequently Asked Questions, downloaded from www.phonemiser.com.

The United Computer Exchange: How It All Works, selected pages downloaded from www.uce.com.

Tired of Shopping for the Best Home Loan?, Mortgage Loan Specialists.

About IAO, selected pages downloaded from www.iaoauction.com on Sep. 8, 1997 and Sep. 18, 1997.

Classifieds2000: The Internet Classifieds, selected pages downloaded from www.classifieds2000.com on Aug. 6, 1997.

CSM Online: About Collector's Super Mall downloaded from www.csmonline.com (Jul. 23, 1996).

CyberBid, Net Fun Ltd. (1996).

Laura Del Rosso, Marketel Says It Plans to Launch Air Fare `Auction` in June; Marketel International, Inc., Travel Weekly, Apr. 29, 1991, at 1.

Laura Del Rosso, Ticket-Bidding Firm Closes its Doors; Marketel International, Inc., Travel Weekly, Mar. 12, 1992, at 1.

Fran Golden, AAL'S Riga Doubts Marketel's Appeal to Retailers; Chris Riga of American Airlines, Travel Weekly, Nov. 13, 1989, at 4.

Robert Kuttner, Computers May Turn the World Into One Big Commodities Pit, Business Week, Sep. 11, 1989, at 17.

NASDAQ Consolidated Subscriber Agreement, downloaded from www.pcquote.com/exchanges on Aug. 15, 1997.

NASDAQ: What Is NaSDAQ?, selected pages downloaded from http://home.axford.com on Aug. 15, 1997.

Onsale: Auction Supersite, selected pages downloaded from www.onsale.com on Sep. 8,

1997.

Jeff Pelline, Travelers Bidding on Airline Tickets; SF Firm Offers Chance for Cut Rate Fares, The San Francisco Chronicle, Aug. 19, 1991, (News) at A4. J. Kelsey and B. Schneier, Conditional Purchase Orders, 4th ACM Conference on Computer and Communications Security, ACM Press, 117-124 (Apr. 1997). Michael Schrage, An Experiment In Economic Theory; Labs Testing Real Markets, The Record, Nov. 26, 1989, (Business) at B01. Sotheby's: General Information, downloaded from www.sothebys.com (1996).

The United Computer Exchange: How It All Works, selected pages downloaded from www.uce.com on Jul. 23, 1997.

Trade-Direct: We Help You Trade With Confidence, selected pages downloaded from www.trade-direct.com on Aug. 6, 1997.

TradingFloor: General Trading Information and Terms, downloaded from www.tradingfloor.com on Aug. 14, 1997.

ART-UNIT: 271

PRIMARY-EXAMINER: Tkacs; Stephen R.

ATTY-AGENT-FIRM: Morgan & Finnegan, L.L.P. Brandt; Jeffrey L.

ABSTRACT:

A collectible conditional purchase offer (CPO) management system is disclosed for receiving and processing individual CPOs from buyers for one or more collectibles, such as coins, stamps, art prints, comic books, baseball cards, jewelry, or other used or secondary market goods. The collectible CPO management system processes each received CPO to determine whether one or more sellers are willing to accent a given collectible CPO. If a seller accepts a given CPO, and ultimately delivers goods complying with the buyer's CPO, the buyer is bound on behalf of the accepting seller, to form a legally binding contract. The CPO is guaranteed, for example, by a general-purpose account, such as a credit or debit account. Once a CPO is accepted by a seller, but before completing the transaction, the goods are preferably forwarded to a dealer/authenticator for evaluation. The dealer/authenticator preferably validates, authenticates and optionally guarantees the goods, while also serving as the distribution point for the collectibles sold by the collectible CPO management system. In order to ensure that at least one of the accepting sellers will have the collectible item in the condition specified by the buyer, a number of sellers may conditionally accept each CPO. Each of the accepting seller(s) are preferably prioritized into a hierarchy based on predetermined criteria.

30 Claims, 16 Drawing figures

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

☐ Generate Collection

Print

L5: Entry 1 of 1

File: USPT

Sep 26, 2000

US-PAT-NO: 6125361

DOCUMENT-IDENTIFIER: US 6125361 A

TITLE: Feature diffusion across hyperlinks

DATE-ISSUED: September 26, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Chakrabarti; Soumen

San Jose

CA

Dom; Byron Edward

Los Gatos

CA

US-CL-CURRENT: 707/3; 707/1, 707/4, 707/5, 707/6, 707/7

ABSTRACT:

A system and method for ranking wide area computer network (e.g., Web) pages by popularity in $\frac{\text{response}}{\text{response}}$ to a query. Further, using a query and the $\frac{\text{response}}{\text{response}}$ thereto from a search engine, the system and method finds additional key words that might be good extended search terms, essentially generating a local thesaurus on the fly at query time.

36 Claims, 6 Drawing figures Exemplary Claim Number: 17 Number of Drawing Sheets: 5

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs **End of Result Set**

Previous Doc Next Doc Go to Doc#

Generate Collection Print

L5: Entry 1 of 1

File: USPT

Sep 26, 2000

DOCUMENT-IDENTIFIER: US 6125361 A

TITLE: Feature diffusion across hyperlinks

Abstract Text (1):

A system and method for ranking wide area computer network (e.g., Web) pages by popularity in response to a query. Further, using a query and the response thereto from a search engine, the system and method finds additional key words that might be good extended search terms, essentially generating a local thesaurus on the fly at query time.

Brief Summary Text (5):

The wide area computer network known as the Internet, and in particular the portion of the Internet known as the World Wide Web, affords users access to a large amount of information. Not surprisingly, several search engines have been provided into which users can input queries, and the search engines use various schemes to return lists of Web sites in response to the queries, to facilitate the mining of information from the Web. These Web sites generally represent computer-stored documents that a user can access to gain information regarding the subject matter of the particular site.

Brief Summary Text (7):

Furthermore, it might happen that in response to a query, the Web sites that are most pertinent to the query might not be returned at all. More specifically, a query might use terms that do not appear in the Web sites that are the most pertinent to the query. For example, the term "browser" does not appear at all in the Web sites for two of the currently most popular browsers. Instead, the Web sites use words other than "browser" to refer to the subject matter of the sites. Consequently, these sites would not be returned to a user who inputs the word "browser" to a search engine that uses a simple key word search strategy.

Brief Summary Text (9):

More particularly, a Web page points to other Web pages in the form of hyperlinks, which essentially are references in a first document (i.e., a first Web page) to other documents (i.e., other Web pages). A hyperlink affords a user the ability to select immediate access to another Web page by "clicking" on the hyperlink by means of a computer mouse or other pointing and clicking device. As recognized herein, such referring Web pages can be a rich source of terms that have been popularly associated with referred-to Web pages even if the referred-to Web pages do not themselves use the terms. Consequently, these terms can be used to improve Web search query results. The present invention further recognizes that the present principles of effectively diffusing features (in the form of terms) across a reference to a document (such as a hyperlink) are applicable not only to the Web but also to any body of linked documents, such as patents, academic papers, articles, books, emailings, etc.

Brief Summary Text (10):

Accordingly, it is an object of the present invention to provide a method and system for diffusing features across hyperlinks. Another object of the present Record Display Form Page 2 of 5

invention is to provide a method and system for ranking documents in a set of documents in <u>response</u> to a query. Still another object of the present invention is to provide a method and system for finding key words in a set of documents. Yet another object of the present invention is to provide a method and system for finding associations in computer-stored documents between document terms and query topics represented by one or more query terms. Another object of the present invention is to provide a method and system for Web searching that is easy to use and cost-effective.

Brief Summary Text (12):

The invention is a general purpose computer programmed according to the inventive steps herein to rank documents in a set of documents in <u>response</u> to a query. The invention can also be embodied as an article of manufacture—a machine component—that is used by a digital processing apparatus and which tangibly embodies a program of instructions that are executable by the digital processing apparatus to find associations in computer—stored documents between document terms and query topics. This invention is realized in a critical machine component that causes a digital processing apparatus to perform the inventive method steps herein.

Brief Summary Text (15):

Preferably, the computer also includes computer readable code means for ranking multiple documents based on respective numbers of times query terms are present within lexical distances of references in the documents. Additionally, the computer includes computer readable code means for receiving a set "U" of documents. Computer readable code means are provided for defining as neighbor documents "N . (u)", for at least one test document "u" in the set "U", documents in the set "U" that include at least one reference to the test document "u". Moreover, computer readable code means determine, for at least one document term in at least one neighbor document "N(u)", whether the at least one document term is within a predetermined distance (i.e., within a predetermined number of terms) of a reference in the neighbor document "N(u)" to the test document "u". Per the present invention, computer readable code means then output a signal in response to the means for determining whether the at least one document term is within a predetermined distance of a reference. The means for outputting increments a counter associated with the at least one document term when the at least one document term is within a predetermined distance of a reference to the test document "u".

Brief Summary Text (16):

In addition to the above-summarized logic, the computer can also include computer readable code means for receiving a set "U" of documents in response to a query including one or more query terms, with each document

Brief Summary Text (19):

In still another aspect, a computer-implemented method is disclosed for finding associations in computer-stored documents between document terms and query topics represented by one or more query terms. In accordance with the present invention, the documents have respective document names. The method includes receiving at least a list of documents in response to the query terms, and then, when a document term and a document name are both found in a document within a predetermined distance of a query term, outputting a signal representative of an association between the document term and the query topic. A computer is also disclosed for executing the above-summarized method.

Brief Summary Text (20):

In another aspect, a computer includes a data storage device that in turn includes a computer usable medium having computer usable code means for ranking documents in a set of documents in response to a query. The computer usable code means have computer readable code means for receiving a set "U" of documents, and computer readable code means for, for at least one test document "u" in the set "U",

defining as neighbor documents "N(u)" documents in the set "U" that include at least one reference to the test document "u". Additionally, computer readable code means determine, for at least one document term in at least one neighbor document "N(u)", whether the document term is within a predetermined distance of a reference in the neighbor document "N(u)" to the test document "u". Computer readable code means then output a signal in response to the means for determining.

Drawing Description Text (5):

FIG. 3 is a flow chart of the logic for growing a list of Web sites that have been provided in response to a query;

Drawing Description Text (6):

FIG. 4 is a flow chart of the logic for returning "high quality" pages from a list of pages generated in response to a query;

<u>Detailed Description Text</u> (3):

The computer 12 accesses an Internet search engine 14. In one embodiment, the search engine 14 is made by Alta Vista, although it is to be understood that other search engines can be used. The search engine 14 accepts queries from the computer 12 and in response thereto returns to the computer 12 a list of computer-stored documents, and more particularly a list of Web sites 16, with which the computer 12 can communicate via the portion of the Internet known as the World Wide Web 18.

Detailed Description Text (25):

The query is forwarded to a search engine at block 84, and in <u>response</u> a document list is received back from the search engine. Moving to block 86, a bipartite graph G=((T,U),E) is constructed having as its vertices the terms (T) and documents (U) returned at block 84, wherein T and U respectively represent a document term branch and a URL branch of the bipartite graph, and wherein E represents the edges between the branches.

Detailed Description Text (32):

While the particular FEATURE DIFFUSION ACROSS HYPERLINKS as herein shown and described in detail is fully capable of attaining the above-described objects of the invention, it is to be understood that it is the presently preferred embodiment of the present invention and is thus representative of the subject matter which is broadly contemplated by the present invention, that the scope of the present invention fully encompasses other embodiments which may become obvious to those skilled in the art, and that the scope of the present invention is accordingly to be limited by nothing other than the appended claims.

CLAIMS:

1. A computer including a data storage device including a computer usable medium having computer usable code means for ranking documents in a set of documents in response to a query, the computer usable code means having:

computer readable code means for identifying a reference to a second document in a first document;

computer readable code means for receiving a lexical distance, the lexical distance defining a number of document terms;

computer readable code means for receiving a query including one or more query terms; and

computer readable code means for determining a number of times at least one of the query terms is present in the first document within the lexical distance of the reference to the second document, for ranking the documents based thereon.

Record Display Form Page 4 of 5

5. The computer of claim 1, further comprising:

computer readable code means for receiving a set "U" of documents;

computer readable code means for, for at least one test document "u" in the set "U", defining as neighbor documents "N(u)" documents in the set "U" that include at least one reference to the test document "u";

computer readable code means for determining, for at least one document term in at least one neighbor document "N(u)", whether the at least one document term is within a predetermined distance of a reference in the neighbor document "N(u)" to the test document "u"; and

computer readable code means for outputting a signal in <u>response</u> to the means for determining whether the at least one document term is within a predetermined distance of a reference.

7. The computer of claim 2, further comprising:

computer readable code means for receiving a set "U" of documents in response to a query including one or more query terms, each document containing one or more document terms; and

computer readable code means for defining a correlation between at least a first document and at least one document term when both the document term and a reference to the first document are within a predetermined distance of a query term in the at least one of the documents.

11. The computer program device of claim 9, wherein the method steps further comprise:

receiving a set "U" of documents in $\underline{\text{response}}$ to a query including one or more query terms; and

defining a correlation between at least a first document and at least one document term when both the document term and a reference to the first document are within a predetermined distance of a query term.

17. A computer-implemented method for finding associations in computer-stored documents between document terms and query topics represented by one or more query terms, the documents having respective references to referred-to documents, the method comprising the steps of:

receiving at least a list of documents in response to the query terms; and

when a document term and a reference to a referred-to document are both found in a document within a predetermined distance of a query term, outputting a signal representative of an association between the document term and the query topic.

24. A computer including a data storage device including a computer usable medium having computer usable code means for finding associations in computer-stored documents between document terms and query topics represented by one or more query terms, the documents having respective references to referred-to documents, the computer usable code means having:

computer readable code means for receiving at least a list of documents in $\underline{\text{response}}$ to the query terms; and

computer readable code means for outputting, when a document term and a reference to a referred-to document are both found in a document within a predetermined

distance of a query term, a signal representative of an association between the document term and the query topic.

31. The computer of claim 30, further comprising:

computer readable code means for receiving a set "U" of documents in response to a query including one or more query terms; and

computer readable code means for defining a correlation between at least a first document and at least one document term when both the document term and a reference to the first document are within a predetermined distance of a query term.

35. A computer including a data storage device including a computer usable medium having computer usable code means for ranking documents in a set of documents in response to a query, the computer usable code means having

computer readable code means for receiving a set "U" of documents;

computer readable code means for, for at least one test document "u" in the set "U", defining as neighbor documents "N(u)" documents in the set "U" that include at least one reference to the test document "u";

computer readable code means for determining, for at least one document term in at least one neighbor document "N(u)", whether the at least one document term is within a predetermined distance of a reference in the neighbor document "N(u)" to the test document "u"; and

computer readable code means for outputting a signal in <u>response</u> to the means for determining whether the at least one document term is within a predetermined distance of a reference.

Previous Doc Next Doc Go to Doc#

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 10 of 19 returned.

☐ 1. Document ID: US 20030014331 A1

Using default format because multiple data bases are involved.

L6: Entry 1 of 19

File: PGPB

Jan 16, 2003

PGPUB-DOCUMENT-NUMBER: 20030014331

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030014331 A1

TITLE: Affiliate marketing search facility for ranking merchants and recording referral commissions to affiliate sites based upon users' on-line activity

PUBLICATION-DATE: January 16, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Simons, Erik Neal Calgary CA

US-CL-CURRENT: 705/27; 705/26, 707/7

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWC | Draw. De

☐ 2. Document ID: US 20020095331 A1

L6: Entry 2 of 19 File: PGPB

Jul 18, 2002

PGPUB-DOCUMENT-NUMBER: 20020095331

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020095331 A1

TITLE: Pay-for-results based marketing

PUBLICATION-DATE: July 18, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Osman, Anas Evanston IL US Usman, Azhar Skokie IL US

US-CL-CURRENT: 705/14; 705/1, 705/26

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWC | Draw, De

☐ 3. Document ID: US 20020029290 A1

L6: Entry 3 of 19

File: PGPB

Mar 7, 2002

PGPUB-DOCUMENT-NUMBER: 20020029290

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020029290 A1

TITLE: System and method for tracking affiliates and merchants

PUBLICATION-DATE: March 7, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Burema, Herman

Tokyo

JP

Makino, Yoshia

Tokyo

JP

US-CL-CURRENT: 709/238; 705/14, 705/26

Full Title Citation	Front Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawl De

□ 4. Document ID: US 6769009 B1

L6: Entry 4 of 19

File: USPT

Jul 27, 2004

US-PAT-NO: 6769009

DOCUMENT-IDENTIFIER: US 6769009 B1

TITLE: Method and system for selecting a personalized set of information channels

Full	Citation		Classification	Date	Reterence		Claims	коис	Draw, De

☐ 5. Document ID: US 6763334 B1

L6: Entry 5 of 19

File: USPT

Jul 13, 2004

US-PAT-NO: 6763334

DOCUMENT-IDENTIFIER: US 6763334 B1

TITLE: System and method of arranging delivery of $\underline{\text{advertisements}}$ over a network such as the internet

Full Title	e Citation Front Review Classification Date Reference Section Section Brains KWC Draw. De
•	

□ 6.	Document ID: US 6658464 B2

L6: Entry 6 of 19

File: USPT

Dec 2, 2003

Record List Display Page 3 of 4

US-PAT-NO: 6658464

DOCUMENT-IDENTIFIER: US 6658464 B2

TITLE: User station software that controls transport, storage, and presentation of

content from a remote source

Full | Title | Citation | Front | Review | Classitication | Date | Reference | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |

☐ 7. Document ID: US 6594692 B1

L6: Entry 7 of 19

File: USPT

Jul 15, 2003

US-PAT-NO: 6594692

DOCUMENT-IDENTIFIER: US 6594692 B1

** See image for Certificate of Correction **

TITLE: Methods for transacting electronic commerce

□ 8. Document ID: US 6253027 B1

L6: Entry 8 of 19

File: USPT

Jun 26, 2001

US-PAT-NO: 6253027

DOCUMENT-IDENTIFIER: US 6253027 B1

TITLE: System, method and article of manufacture for exchanging software and configuration data over a multichannel, extensible, flexible architecture

Full Title Citation Front Review Classification Date Reference Claims KMC Draw. De

□ 9. Document ID: US 6178409 B1

L6: Entry 9 of 19

File: USPT

Jan 23, 2001

US-PAT-NO: 6178409

DOCUMENT-IDENTIFIER: US 6178409 B1

TITLE: System, method and article of manufacture for multiple-entry point virtual

point of sale architecture

Full | Title | Citation | Front | Review | Classification | Date | Reference | State | State | State | State | Claims | KMC | Draw, De

☐ 10. Document ID: US 6119105 A

L6: Entry 10 of 19

File: USPT

Sep 12, 2000

US-PAT-NO: 6119105

DOCUMENT-IDENTIFIER: US 6119105 A

Record List Display Page 4 of 4

TITLE: System, method and article of manufacture for initiation of software distribution from a point of certificate creation utilizing an extensible, flexible architecture

Full	Title Citation	Front	Review	Classification	Date	Reference				Claims	KWMC	Draw, De
Clear		ate Coll		Print		wd Refs		lkwd Re		Gener	ate O/	\cs
	J				• • • • • • • • • • • • • • • • • • • •							
	Terms				D	ocumen	ts					
	L5 and L2								,		19	

Display Format: - Change Format

Previous Page Next Page Go to Doc#

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 11 through 19 of 19 returned.

☐ 11. Document ID: US 6108639 A

Using default format because multiple data bases are involved.

L6: Entry 11 of 19

File: USPT

Aug 22, 2000

US-PAT-NO: 6108639

DOCUMENT-IDENTIFIER: US 6108639 A

TITLE: Conditional purchase offer (CPO) management system for collectibles

DATE-ISSUED: August 22, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Walker; Jav S.

Ridgefield

CT

Van Luchene; Andrew S.

Norwalk

CT

US-CL-CURRENT: <u>705/26</u>; <u>705/27</u>, <u>705/37</u>

Full Title Citation Front Review Classification Date Reference Claims KWC Draw. De Claims Laims Laims

US-PAT-NO: 6072870

DOCUMENT-IDENTIFIER: US 6072870 A

TITLE: System, method and article of manufacture for a gateway payment architecture utilizing a multichannel, extensible, flexible architecture

☐ 13. Document ID: US 6026379 A

L6: Entry 13 of 19

File: USPT

Feb 15, 2000

US-PAT-NO: 6026379

DOCUMENT-IDENTIFIER: US 6026379 A

TITLE: System, method and article of manufacture for managing transactions in a high availability system

Page 2 of 3


Full Title Citation Front I	Review Classification	Date Reference	Claima	KOMO Draw. De
·				

☐ 14. Document ID:	US 6016484 A			
L6: Entry 14 of 19		File: USPT	Jan 18,	2000

US-PAT-NO: 6016484

DOCUMENT-IDENTIFIER: US 6016484 A

TITLE: System, method and article of manufacture for network electronic payment instrument and certification of payment and credit collection utilizing a payment




US-PAT-NO: 6002767

DOCUMENT-IDENTIFIER: US 6002767 A

** See image for Certificate of Correction **

TITLE: System, method and article of manufacture for a modular gateway server architecture




US-PAT-NO: 5987132

DOCUMENT-IDENTIFIER: US 5987132 A

** See image for Certificate of Correction **

TITLE: System, method and article of manufacture for conditionally accepting a payment method utilizing an extensible, flexible architecture



US-PAT-NO: 5943424

DOCUMENT-IDENTIFIER: US 5943424 A

TITLE: System, method and article of manufacture for processing a plurality of transactions from a single initiation point on a multichannel, extensible, flexible

Record List Display Page 3 of 3

architecture

Full Title Citation Front Review Cl	assitication Date Reterence	Claims KWIC Draw. C
☐ 18. Document ID: US 588	9863 A	
L6: Entry 18 of 19	File: USPT	Mar 30, 1999
US-PAT-NO: 5889863 DOCUMENT-IDENTIFIER: US 5889863	A	
TITLE: System, method and articorocessing utilizing a multicha		
Full Title Citation Front Review C	assification Date Reference	Claims KWWC Brave
☐ 19. Document ID: US 585	0446 A	
L6: Entry 19 of 19	File: USPT	Dec 15, 1998
JS-PAT-NO: 5850446 DOCUMENT-IDENTIFIER: US 5850446	. A	
TITLE: System, method and artic processing utilizing an extensi		
Full Title Citation Front Review C	lassification Date Reference	Claims KWC Draw
Clear Generate Collection	Print Fwd Refs Bkw	vd Refs Generate OACS
Terms	Documents	
L5 and L2		19
,	······································	
	•	

Change Format

Next Page

Go to Doc#

Display Format:

Previous Page